



dfcpackaging
group of companies

Our Story - DFC Packaging Pty Ltd humble beginnings began in 1991. Since then we have become a fast-growing dynamic supplier of innovative and sustainable packaging solutions

With a comprehensive range of products including:

- Plain specialized films
- Shrink films
- Printed films
- High barrier lidding films
- Shrink sleeves - decorative, tamper evident etc.
- Smooth wall aluminum trays
- Food processing equipment
- Packaging machinery for the food and beverage, pharmaceutical and printing industries.

Our Mission: Building alliances with our customers to reach their goals with flexible customization and efficient packaging solutions to accommodate their needs. Focusing on leading research and development with high emphasis on offering superior customer service, innovation, quality, continuous improvement and commitment.

Our Vision: To bring technology and packaging together, with long term investments in order to provide the service our customers deserve; using the most efficient and economical methods.

Our Values: DFC proudly take part in sponsoring many organizations including: The royal children's hospital, Variety - The children's charity Vic, Kids sports wheelchair appeal, Officer Kangaroos junior football club and many more.

Dedicated... Focused... Conscientious ...

Packaging Equipment

Complete VFFS Packing Lines

Our complete packages include:

- Bucket Conveyor or Incline Conveyor
- Multi Head Weigher (with stand)
- VFFS Machine
- Incline Conveyor
- Metal Detector
- Check Weigher
- Rotating Accumulation Table

Also available in various configurations to allow for rotary pre-pack sealing.



VFFS Machine

DFC Offer a wide range of VFFS bag sealers that can be custom supplied to meet the requirements of your product. These units can be supplied as part of a complete line or as replacement to upgrade an older system.



Packing Line Auger Filler and Auger Conveyors

DFC can offer a wide range of Auger filling units for Powder Processing Solutions



Packaging Equipment



Pre-made doy bag sealing machine

Rotary Doy Sealing Bag Machine

Our rotary pouch lines are capable of running most premade pouches and are capable of running in conjunction with a vertical weighing system or liquid filling unit. These units are capable of running up to 40bpm.




Linear Weigh Head Systems

Linear Weigher - Various options available

Multi Head Weighing

Our range of Multi head weighers are ideal for quick and accurate weighing of your products. Built to high quality, with precision weighing of various products in the food or non-food industries, such as potato chips, nuts, frozen food, vegetable, sea food, hardware products, polymers etc. We can offer our weighers as part of a turnkey installation or as part of a replacement weigh head process.



Packaging Equipment



Bucket Conveyor/ Incline Elevator

DFC can offer a wide range of bucket and incline elevators which are capable of lifting a variety of granular material, rice, seed, confectionery and various snack foods etc.



Working Platform



Incline Elevator

Output Conveyor

DFC can offer a wide range of widths and lengths.



Rotary Accumulation Table

DFC Packaging offer a one metre rotary table in stainless steel. This unit is a dish type as illustrated, however we can offer bowl upon request.

Packaging Equipment

Packing line conveyors, available in various lengths & belt widths.



Label Application Units

We have a range of fully automated label application units and we are able to offer top, bottom, side and wrap around applicators. Due to the complex nature of label application, please feel free to discuss your application with us to enable you to make the right decision.



Ink Jet Printer for date code & batch code printing.

Process Equipment

Flow Wrappers



Also available in stainless steel

F-Type Horizontal Compact

Flow Wrappers

DFC offer a wide range of flow wrappers for packaging various bakery products, fresh food and snack foods. All machines are built to a high quality and simple to operate. The units we supply are capable of running both plain and printed films.



I-Type

High Speed Horizontal Flow Wrappers

- FEATURES -

- User-friendly human / machine interface control with 5.7 inch touch screen for convenient operations.
- Dialogue type screen provides maximum operation convenience and is easy to learn.
- Memory function makes the machine ideal for flexible packing operations.
- Self-diagnostic function permits convenient troubleshooting.
- Specially designed feeding system is available for packaging soft and sticky products.
- 50 sets of the recipe for easy production changeover.
- Four sets of temperature controllers (Japan Brand) with PID function.

- OPTIONAL ACCESSORIES -

- Data coder.
- Stainless steel machine frame.
- Gusset device.
- Labeler.
- CE or UL standards.

Box Motion

High Speed films.



V-Type

High Speed Horizontal Servo Flow Wrappers



C-Type H/S

Servo Candy Wrapper



Packaging Equipment

Automatic L Bar Sealers and High Speed Shrink Wrappers

DFC Packaging can supply a wide range of automatic L Bar Sealers and high speed inline side sealers. This is DFC's forte as we have been supplying these types of units into the Australian manufacturing base since 1989. Our standard units can cope with most products, however they can be bespoke built to suit your products. You can rest assured that our previous product knowledge will ensure the best possible production rates, whilst maintaining a high level of product finish.



Bundle Wrappers

We can also offer Bundle Wrappers capable of either heat seal or lap type sealing systems.

One Shrink Step Machine

Our onestep shrink wrapping unit is well constructed and uses a simple but very reliable electrical control system to ensure you keep running when you need too.



Shrink Machine Semi Auto

Packaging Equipment



Shrink Machine High Speed

CY-76-15 side sealing unit, capable of reaching speeds up to 60 packs per minute.



Shrink Machine Auto L-bar Sealer

CY-73-15 automatic L bar sealer capable of reaching up to 35 packs per minute.

SHRINK TUNNELS

DFC Packaging can offer a wide range of shrink tunnels to meet your level of production. When purchasing a tunnel you need to ensure you have allowed for the correct length of time and airflow to ensure your product is in the chamber long enough to achieve maximum shrinkage.



Shrink Machine Shrink Tunnel B0-38



Vacuum Chamber Sealer

DFC can offer a range of varying sized vacuum chamber packaging units.

Process Equipment



Topping systems Innovation in Food Processing

DFC / Quantum supply premium food processing systems to the largest manufacturers in the world. With focus on sanitary design, ease of cleaning, and simple operation.



Target Sauce Applicators

Granular Applicator

Specifications-

Granular Applicator, capable of evenly applying a variety of toppings to your product.

Dry ingredients, hard cheeses, Granules, spices, seeds, salt and similar Ingredients.



Pepperoni / Meat Slicer / Applicators



Waterfall Topping Applicators

CIRCLE LOADER CARDBOARD CIRCLE PLACER, MODEL # QTCR1816

The QTCR1816 places cardboard circles onto a conveyor at rates of up to 200 circles per minute.

SPECIFICATIONS


PRODUCT:
Corrugated cardboard 5 in. (127mm) through 16 in. (406mm) maximum width

DRIVE SYSTEM:
Variable speed
Precision electric drive motor

ELECTRICAL:
120 vac., 1 phase 10 amp circuit 60 Hz

FEATURES:
Stainless Steel Construction
USDA Compliant Construction
Continuous smooth welds
Easy cleaning
Sanitary Design

DOCUMENTATION:
Fully illustrated instruction manual included.



WATERFALL SAUCE APPLICATOR WS1000 SERIES

USDA compliant sauce applicator is capable of evenly applying sauce in a continuous curtain onto products as they pass below. Our Waterfall Sauce Applicator is a simple, easy to use system ideal for depositing sauce where positioning products in lanes is not possible, or targeted application is not required. Sauce is automatically applied over the entire product as it passes below. Excess sauce is recirculated and reused.

SPECIFICATIONS

PRODUCT:
Rigid or supported products
4 in. (76mm) through 18 in. (457mm) diameter
18" to 42" Wide Topping Zone

SAUCE:
Flow-able product with some particulates

PRODUCTION RATES:
5 to 100 units per minute, per lane, depending on size
Conveyor speeds up to 80 feet per minute

PORTION:
0.5 oz. (14g) - 10 oz. (284g) +/- 0.2 oz. (5g).

HOPPER:
19 Gallon Stainless Steel

CONVEYOR:
Stainless mesh infed conveyor
Stainless Roller Section in depositing zone

ELECTRICAL:
240 vac., 3 phase 5 amp circuit 60 Hz.
Other voltages optional
Stainless steel control enclosure

CONTROL:
Color Touch screen Human Machine Interface provides user friendly, intuitive operation and system diagnostics..

FRAME:
Stainless steel construction
Continuous smooth welds
Washdown Capable



Tray Lidding Machinery




Tray Sealer - Rotary



Tray Sealer - Semi Automatic

We can offer a range of bench top to fully automatic inline tray sealing systems.
We can also integrate these systems with a range of filling systems to automate the packing process.
Options: Vacuum, Gas Flush or Full MAP.



Tray Sealer "Shuttle" Machine

Features

1. Sturdy construction with stainless steel cover
2. Vacuum with Gas Flushing / Gas Flushing function selection
3. Heating element with Teflon coating and AL anodized
4. Quick interchangeable mould / sealing tool design
5. Fully safety guard defence for security
6. Accurate film rewinding system design
7. Film feed controlled by sensor, encoder, or time (available for plain film and printed film)



Tray Sealer - Automatic



Tray Sealer - Semi Automatic

Material Handling Equipment



Pallet Stretch Wrapping Equipment

DFC Packaging specialise in pallet wrapping equipment from the basic non-prestretch type units to fully automated in-line conveyor type units. Please feel free to discuss your application with us to enable you to make the right decision.



Case Erector

DFC offer a wide range of models to suite RSC cartons, Case erectors are case equipment which automatically forms corrugated cases. "Process": A stack of corrugated blanks are picked and placed into the machine. The blanks are pulled out of the machine one-by-one and formed into cases. The newly formed cases are sealed at the bottom with tape or glue.



Carton Taper

Our range of Semi-Automatic carton sealing units are available in a range of sizes to suit most applications. We hold most of these units Ex-stock in both side and top/bottom drive belt models.

These units are available on request in Stainless Steel.



Carton Taper - Automatic

Our range of fully automated carton sealing equipment can be manufactured to fit your actual carton sizes. All equipment supplied comes with full integrated safety guarding fitted, this ensures operator safety at all times.

Other options include: Self Closing Flaps, Side and Top drive belts.



Gravity Roller Conveyor

DFC can offer a wide range of various length conveyors. Available in full stainless steel.

Carton Erectors



ECONOCORP CARTONERS PRODUCT LINE

All our machines are customisable, or we can offer our standard model machines, within the normal size range without any special engineering requirements. For exact scope, please speak directly with your regional sales engineer about the application you need quoted.

E-System 2000: Automatic Horizontal Cartoner




Description: Erects, loads and closes end-load cartons in moderate speed packaging lines. Available for both tuck closure and hot melt glue closure cartons. Options of infeed, belt conveyor, bucket conveyor and auto-loading.

Speed: Up to 25 cycles per minute for handload operation. Up to 20 per minute for auto load operation

Spartan: Automatic, intermittent motion, horizontal cartoner

Description: Cartons are erected, presented for product loading, closed and delivered. Glue or tuck closure. Options of infeed belt or bucket conveyor, auto-loading, Nordson unit.

Speed: Up to 40 cycles per minute



Carton Erectors



Pegasus: Automatic, continuous motion, horizontal cartoner

Description: Cartons are erected, presented for product loading, closed and delivered. Glue or tuck closure. Available in manual or automatic loading. Options of overhead confining unit (tamp)


Speed: Up to 120 cartons per minute



V-System: Automatic, intermittent motion, vertical cartoner

Description: Cartons are erected, bottom of carton is closed, presented for hand load product loading and top of carton is closed. Glue or tuck closure.

Speed: Up to 40 cycles per minute



QA Equipment



Metal Detector

We offer a range of economical solutions for inline metal detection with reject systems. These units can be purpose built for your product dimensions.



Drop Through Metal Detector

Used to detect metal from bulk production dropping vertical, also from a Multihead weigher system with rejection device.

Checkweigher

Our check weighing lines are built to precisely measure the weight of your product to ensure you are protected from under weight product.

Features: · 7" SIEMENS touch screen and PLC, stable and easy to operate

- Solid stainless structure ensures stable performance and precise weighing
- Reject arm, air blast or pneumatic pusher for rejecting
- Removable belt without tools, for ease of cleaning
- Emergency switch for user friendly operation



Combi unit – Metal/check reject system

Economical solution for inline weighing and metal detection

Various models and sizes available



Shrink Sleeve Machinery

Shrink Sleeve Application Machinery

DFC Packaging's NSV series of High Speed Shrink Sleeve application machinery has been developed to meet the stringent standards of many high end users. Our units are capable of presenting roll fed shrink sleeves, cut to the correct length for square, round and irregular shaped containers.

The unit is capable of running plain and printed sleeving materials in full body or tamper evident type formats. The changeover from product to product is quite simple as 5 sets of parameters can be stored in the PLC with minor operator adjustment being made for the height and width of the product.



Shrink Sleeve Heat Tunnel

DFC Packaging are able to supply a wide range of shrink tunnels to suit various applications be it steam based or blown air. The design and size of the tunnel is imperative to achieve a first class finish on your glass or plastic container. Please feel free to contact us to obtain advice on which type of unit you will require to achieve a quality finish.

JS Automation



JS Automation specialise in sourcing and supply of quality Automation & packaging equipment from Europe and abroad to facilitate increases in production level outputs, product handling flexibility and technological improvement for food & packaging production sites throughout Australia.

By combining our extensive experience and knowledge in the industry of food and beverage packaging, JS Automation succeed in collaborating with customers seeking an increase in equipment quality, site productivity and overall long-lasting efficiency outcomes for all types of automation & packaging requirements.

JS Automation also extend to cover the project management, install, commissioning and training of all equipment at the customer's site to allow seamless transition and replacement of a range of packaging machinery. Not just an equipment supplier, JS Automation offer piece of mind from a production scenario by provide ongoing mechanical, electrical and programming support to foster an ongoing relationship with the end user.



Capping Machine



Filling & Dosing Machine



Filling Machine



Sealing Machine



Monoblock Machine



Palletising Machine



Labelling Machine



Wrapping Machine

Film and Packaging

DFC Packaging Shrink Sleeves

DFC Packaging (Sleeves) Pty. Ltd. has been operating since 1997. During this period we have become a market leader in the supply of decorative sleeves, tamper evident sleeves and associated equipment.

We are the leaders in providing the best packaging solutions for both Local and International markets. We provide products and services of the highest quality and consistency.

We originally produced and supplied PVC shrinkable material however our range has significantly and developed into other areas and types of material, including PET, OPS, White Shrink PET of insulated sleeves.

At DFC Shrink Sleeves, we have a fully equipped and qualified Service Department for all your Machinery needs.

DFC appreciates the support we have had over the years from our loyal customers and we look forward to developing future business with new and existing clients.

Would you like to know more? Please contact us.

Shrink Sleeves

Product promotions and shelf appeal are critical in today's marketing strategy. Shrink Sleeves provide the manufacturer with highly visible eye catching total product coverage. Shrink Sleeve labels mould to any shape and contour of bottles and packages

Tamper-evident seals

How safe is your product? DFC Tamper-evident seals provide a visible method of ensuring your product reaches the end user. DFC tamper-evident seals ensure customer confidence in your product, and can be supplied printed or clear with perforations for ease of removal if required.

Multi-pack shrink wrap

Bundling individual products for special promotions or selling in Bulk, has been significantly enhanced with the use of DFC Multi-Pack Shrink Sleeves. Easy to transport and display, plus the additional cost saving will ensure profitable returns.

Let Your Products Stand Out with DFC Packaging Shrink Sleeves



Film and Packaging

Our films division have an flexible range of films and products to fulfil your packaging requirements.

POLYOLEFIN SHRINK FILMS

FZ1 - General purpose: Our General purpose FZ1 film has excellent clarity with extra strength and magnificent shrink qualities. This film will maintain its balance and shrinkage whilst traveling through the heat shrink tunnel. Its soft and flexible consistency suits both semi-automatic and fully automatic shrink processes.

Product Code	Film Width mm	Gauge um
FMPO205U 15FZ1	205	15, 19 & 25
FMPO255U 15FZ1	255	15, 19 & 25
FMPO305U 15FZ1	305	15, 19 & 25
FMPO355U 15FZ1	355	15, 19 & 25
FMPO405U 15FZ1	405	15, 19 & 25
FMPO455U 15FZ1	455	15, 19 & 25
FMPO505U 15FZ1	505	15, 19 & 25
FMPO555U 15FZ1	555	15, 19 & 25

Here are **some** of the widths we stock: **FZ1**

Product Code	Film Width mm	Gauge um
FMPO355 U15FZ4	355	15
FMPO410 U15FZ4	410	15
FMPO460 U15FZ4	455	15

Here are **some** of the widths we stock : **FZ4**

Our FZ4 material is also a cross-linked film however, it has been formulated to include anti-fog additives which makes it perfect to wrap food products with high moisture such as fruit, vegetables and meat that are displayed in the fridge for retail.

Our ZF6 is a high performance cross-linked shrink that offers a softer shrink process, it shrinks at a lower temperature to our other materials. Due to its slower shrinkage performance it is recommended for products that are irregular in size without leaving the pack with unsightly fold which we refer to as dog ears.

Product Code	Film Width mm	Gauge um
FMPO305 U15FZ6	305	15
FMPO355 U15FZ6	355	15
FMPO405 U15FZ6	405	15
FMPO455 U15FZ6	455	15

Here are **some** of the widths we stock : **FZ6**

PVC SHRINK FILM

Our PVC comes in several gauges and multitude widths. It is formulated to meet food contact standards and has exceptionally good shrink force. It has a very clear appearance and extremely glossy finish.

Product Code	Film Width mm	Gauge um
FMPV2 00U19F	200	19 & 25
FMPV2 50U15F	250	19, 25 & 38
FMPV3 00U15F	300	19 & 25
FMPV3 50U15F	350	19 & 25
FMPV4 00U15F	400	19 & 25
FMPV4 50U15F	450	19, 25 & 38
FMPV5 00U15F	500	19, 25 & 38
FMPV5 50U15F	550	19 & 25

Here are **some** of the widths we stock: **PVC**

Film and Packaging

BOPP: Biaxially Orientated Polypropylene - Our BOPP or Biaxially Orientated Polypropylene films are produced both locally and internationally. We stock a wide range of mil size rolls in varying gauges from 20, 25, 30, 35, 40 and 50 Micron. DFC Packaging have a large in-house slitting and converting area where we can slit, perforate and centerfold to suit specific customers requirement. We can also assist with anti-fog BOPP in 30 and 35 um.

We can also facilitate local printing up to 8 colour flexographic print and up to 12 Colours in our overseas facilities. Most of the film we supply into the Australian market is used for Vertical Form Film and Horizontal Form Fill Seal Machines. Most users are in the food processing field e.g. confectionary, bakery, breads and other snack foods.

Laminated films: As part of wide film offerings we can also supply a wide variety of laminated structures where we take different base films and laminate them together to offer Shelf Life, Seal strength and tensile strength. A large part of our lamination processing is made up for trap printing to secure print quality and allow for films to be in contact with food.

Lidding films: Our Lidding films are produced as co-extruded materials and also as laminates where printing is required.

Our range of films cover the entire range of tray structures currently used in the Australian Food Industry. We have film that will adhere to Pet, PP, Aluminium Smooth wall and Coated trays. We can supply material that are hard peel, easy peel and lock peel materials. We can also supply materials that are ANTI-FOG which is a general requirement when producing ready meals.

Special features: All our materials have the below special features

- Hermetic sealing (even through product residue, fatty contamination, and grease) securing product integrity throughout supply chain
- Seals at a wide range of temperatures
- Multipurpose – specially designed to fit different packaging machines, to minimise downtime
- Outstanding clarity and gloss
- Anti-fog properties – for better product presentation and clarity
- The gas barrier material, in the high barrier lidding films, has an environmentally friendly, chlorine-free structure.


Pouches: We supply various types of pouches to fit most consumer requirements. Some of these include: stand up pouches, pouches with hand holes for display, pouches for liquid substances, dry food pouches, pouches for powders and creams, various substrate to enhance the shelf life of products. These can all be gravure printed up to 12 colours. We also have the ability to produce different shaped pouches.



Smoothwall Applications

'Smooth wall trays a better environmentally friendly alternative'

Manufactured to high levels of strength and rigidity, our smooth wall trays are the ideal packaging choice for meat packaging, ready meals, poultry packaging and many more.



We offer a range of snap on flat and domed lids to compliment the smooth wall foil range.

- We supply various lid options that withstand temperatures from 40c to + 160c or more
- Excellent product personation/ clarity



Smoothwall concept

INNOVATION

For not laquered ready-meals

DESIGN

For FOOD manufacturers and RETAILERS (shelf-ready) with the consumer in mind

ENABLER

With Higher sales growth, used by leading brands

Smoothwall Applications

- Microwavable with an appropriate modern style domestic microwave oven to reduce cooking time.



- Suitable for gas flushing, MAP, CAP and vacuum packing - resulting in extended shelf life.

- Smoothwall trays can be used for a range of different applications, including fish, chicken, red meat and vegetables.



- 100% recyclable and is environmentally friendly.



- Heat resistant to 4000C - Suitable for grilling, BBQ cooking and oven cooking

- Various lid options which compliment the smooth wall trays
- Available flat or domed
- With stands temperatures from -40c to 160c or more
- Excellent product presentation/clarity

Head Office: 22 Summit Road, Noble Park Vic. 3174
Phone: (03) 9701 2000 Fax: (03) 9701 2022

NSW Office: 22 B Hanson Place, Eastern Creek, N.S.W. 2766
Phone: (02) 8886 2450 Fax: (02) 8886 2451

Email: sales@dfc.com.au
Web: www.dfc.com.au

Finance Available

innovation in business finance



Finance products provided by Quantum Business Finance are:

- Finance Lease
- Operating Lease
- Chattel Mortgage, Hire Purchase
- Sale and Leaseback, Sale and Hireback
- Import, Escrow, Progress Payment, Foreign Exchange
- Property Finance



When we designed Quantum Business Finance, we did it from the ground up.

We used our superior industry knowledge to choose our model, start, market direction, and the right range of facilities to suit each client's specific needs.

We handpicked a great team of commercial finance's most experienced and highly regarded industry specialists. To have all these skills and connections under one roof is unique in Australia.

Then we used our contacts and market position to get the best deals from all of Australia's major banks and financiers, so we could provide them to you.

As a client of Quantum Business Finance you will be in very good company and we look forward to our ongoing relationship.

We've taken a Quantum leap in service and facilities and it is our pleasure to invite you to join us.

Professionals in business finance

Quantum Business Finance is Australia's best connected and resourced Equipment Finance Broking firm.

Our market position guarantees we get preferential interest rates on the full range of equipment finance facilities from every major bank and specialised lender in the market.

We provide Motor Vehicle and Equipment Finance to individuals in business and to all business types from sole traders through to listed companies.

No matter how big or small your business, we will provide you with a portfolio of lenders with a diverse range of tailored products, and we'll make our lenders fight for your business.

We have the expertise and the industry contacts to choose the right bank, get the right facility, expertly complete finance submissions, and deliver the best possible outcome on the best possible terms.

Our business is based on building strong ongoing relationships, so we'll be there with you to take with your suppliers, accountants and insurers, and take care of all your documentation for the duration of your finance agreement and beyond.



The art of balanced finance

At Quantum Business Finance we pride ourselves on the "value-add" we provide to:

- Our Clients
- Our Financiers
- Accountants
- Equipment Vendors

Our Clients

Our Clients benefit from a wider range of products and solutions that are simply not available through their own bank, saving them money and time through competitive pricing and a total commitment to service.

Our Financiers

Our Financiers rely on us as a dedicated distribution channel for their financial products. They know that Quantum Business Finance acts for quality clients and takes a proactive approach to ensure a profitable outcome from partnering with us. By any performance indicator Quantum is a market leader, which is why we have more financiers and solutions available to us than any of our competitors.

Accountants

Accountants who partner with Quantum Business Finance do so with the comfort of knowing that their clients' interests will be professionally attended to, and that information required for GST reporting, interest amortisation or other Taxation matters will be readily available to them.

Equipment Vendors

Equipment Vendors boost their sales earned by partnering with Quantum Business Finance to provide their customers with simple and cost effective ways to acquire new equipment. Carefully matched Point of Sale finance solutions are a powerful sales aid, and our service commitment to your customers builds stronger client relationships.

© Quantum Business Finance Pty. Ltd. 1800 888 738 334. Finance is subject to credit approval.
None of the information contained in this brochure constitutes, nor should be construed as Financial Advice.



Please contact your DFC representative
for any further information or
visit our website for more info/video's



dfcpackaging
group of companies

Head Office: 22 Summit Road, Noble Park Vic. 3174
Phone: (03) 9701 2000 Fax: (03) 9701 2022

NSW Office: 22 B Hanson Place, Eastern Creek, N.S.W. 2766
Phone: (02) 8886 2450 Fax: (02) 8886 2451

Email: sales@dfc.com.au
Web: www.dfc.com.au

